

AR-7284WnA

Wireless 150Mbps ADSL2/2+ Modem Router



- Complies with ADSL2/2+ standards with downstream and upstream data rate up to 24Mbps and 1Mbps
- Compatible with wireless 802.11n standard with data rate up to 150Mbps
- Increases the wireless speed up to 6 times faster and extends the coverage 4 time further *
- Includes EZMax multi-languages setup wizard for Internet connection, wireless settings and firmware upgrade
- Supports WPS configuration button
- Supports WMM, UPnP, SNMP, DHCP, IP/MAC filter, DMZ and virtual server

Overview and Specifications :

150Mbps Wireless ADSL2/2+ Modem Router

Edimax AR-7284WnA/B is a high performance router that provides a full rate of ADSL2+ standard with the superb reliability and a cost-effective solution for home and small business. This modem router compatible with 802.11n, the next generation wireless standard. With the advanced MIMO technology, it provides up to 6 times better data transmission rate (up to 150Mbps) and 3 times better coverage than a standard 802.11g/b router.

Wi-Fi Protected Setup (WPS)

Activate the wireless protection and connection by pressing the WPS button. One-Click WPS button helps you to setup a secure wireless network in a minute.

Built-in ADSL2/2+ Modem and IP Sharing

You can share the ADSL broadband connection to all wired and wireless network clients (up to 253 clients) whilst benefit from any ADSL, ADSL2 or ADSL2+ Internet connection, with up to 24Mbps Downstream speed and 1Mbps Upstream speed.

Multi-languages Setup Wizard*

A unique Multi-languages Setup Wizard is provided in the bundled CD. You can select your own language and follow a few simple steps to setup the Internet connection, router's password, SSID, wireless security and firmware upgrade.

Virtual Server and DMZ

For applications that require open port(s) such as online games, VoIP phones, web server and etc, the built-in Virtual Server and DMZ functions are featured.

Supports TR-069 for Remote Management

The AR-7284WnA/B also supports TR-069 which is a protocol specifically defines a common method for CPE devices to communicate with a server. ISP can update the firmware and other settings automatically.

HARDWARE INTERFACE	MANAGEMENT	POWER ADAPTER & BATTERY
<ul style="list-style-type: none"> 1 x RJ-11 WAN Port 4 x RJ-45 Fast Ethernet LAN Ports 1 x USB port Power on/off Button LED Indicators: Power, USB, WLAN, ADSL, LNK/ACT 3dBi RP-SMA Detachable Antenna WPS/Reset Button 	<ul style="list-style-type: none"> Supports Remote Management Supports SNMP and TR-069 Telnet and SSH Two-level user management System Status and Security Log HTTP/TFTP Firmware Upgrade 	<ul style="list-style-type: none"> DC 12V, 0.8A
WAN	INSTALLATION	MEMORY
<ul style="list-style-type: none"> Supports ADSL standard G.992.1 (G.dmt), G.992.2(G.lite), G.992.3 (ADSL2), G.992.5 (ADSL2+) for Annex A, L CBR, UBR, VBR- rt and VBR- nrt 	<ul style="list-style-type: none"> 14-languages EZMax Setup Wizard 	<ul style="list-style-type: none"> 4 MB NOR Flash 16 MB SDRAM
SECURITY	FREQUENCY & MODULATION	HUMIDITY & TEMPERATURE
<ul style="list-style-type: none"> NAT/NAPT IP Sharing 64/128-bit WEP Encryption and WPA-PSK, WPA2-PSK security Supports 802.1x DHCP Server/Client and DHCP Relay Anti- DoS Firewall 	<ul style="list-style-type: none"> 2400~2484MHz 802.11b: CCK, DQPSK, DBPSK 802.11g: 64QAM, 16QAM, QPSK, BPSK, DSSS 802.11n: 64QAM, 16QAM, QPSK, BPSK 	<ul style="list-style-type: none"> 10-90%(Non-condensing) 0 o C ~40 ° C
FUNCTIONS	DIMENSIONS	CERTIFICATIONS
<ul style="list-style-type: none"> Supports SNTP, QoS Virtual Server and DMZ Supports VLAN, IP Filter and URL Blocking Static/Dynamic Routing & UPnP IGMP Snooping, IGMP data control and IGMP relay VPN Pass Through (IPSec/PPTP) 	<ul style="list-style-type: none"> 184 x 118 x 28 mm 	<ul style="list-style-type: none"> CE, FCC

NETWORK SETUP DIAGRAM AND RELATED PRODUCTS

An example of how the AR-7284WnA can be setup:

- Connect the AR-7284WnA ADSL port to your ISP via phone cable (RJ-11).
- Connect a computer to the LAN port and setup the Internet connection by running the multi-language setup wizard.
- Share the Internet connection by connecting a LAN cable to other computers or wireless devices.
- You can also share your printer using an Edimax print server.

